L Number	Hits	Search Text	DB	Time stamp
1	46	(("5457299") or ("5529951") or ("5643801") or ("5681759") or ("5696011") or ("5773327") or ("5817548") or ("5843833") or ("5891764") or ("5943593") or ("5985741") or ("5994172") or ("6008101") or ("6048757") or ("6051483") or ("6054739") or ("6104547") or ("6174757") or ("6204099") or ("6232621") or ("6265745") or ("6274885") or ("6323069") or ("6323071") or ("6331717") or ("6335541") or ("6410374") or ("6413842") or ("6423585") or ("6437366") or ("6479331") or ("6494162") or ("6500703") or ("6544825") or ("6548370") or ("6569716") or ("6569724") or ("6576534") or ("6594446") or ("6596613") or ("6602765") or ("6607947") or ("6613619") or ("6638800") or ("6744008") or ("RE36371")).PN.	USPAT	2004/08/26 13:27
2	0	((("5457299") or ("5529951") or ("5643801") or ("5681759") or ("5696011") or ("5773327") or ("5817548") or ("5843833") or ("5891764") or ("5943593") or ("5985741") or ("5994172") or ("6008101") or ("6048757") or ("6051483") or ("6054739") or ("6104547") or ("6174757") or ("6204099") or ("6232621") or ("6265745") or ("6274885") or ("6323069") or ("6323071") or ("6331717") or ("6335541") or ("6410374") or ("6413842") or ("6423585") or ("6437366") or ("6479331") or ("6494162") or ("6500703") or ("6544825") or ("6548370") or ("6569716") or ("6569724") or ("6576534") or ("6594446") or ("6596613") or ("6602765") or ("6607947") or ("6613619") or ("6638800") or ("6744008") or ("RE36371")).PN.) and (("100" or "200" or "300" or "400") near8 (millisecond$1))	USPAT	2004/08/26 13:42
3	2	((("5457299") or ("5529951") or ("5643801") or ("5681759") or ("5696011") or ("5773327") or ("5817548") or ("5843833") or ("5891764") or ("5943593") or ("5985741") or ("5994172") or ("6008101") or ("6048757") or ("6051483") or ("6054739") or ("6104547") or ("6174757") or ("6204099") or ("6232621") or ("6265745") or ("6274885") or ("6323069") or ("6323071") or ("6331717") or ("6335541") or ("6410374") or ("6413842") or ("6423585") or ("6437366") or ("6479331") or ("6494162") or ("6500703") or ("6544825") or ("6548370") or ("6569716") or ("6569724") or ("6576534") or ("6594446") or ("6596613") or ("6602765") or ("6607947") or ("6613619") or ("6638800") or ("6744008") or ("RE36371")).PN.) and millisecond$1	USPAT	2004/08/26 13:34

4	2	((("5457299") or ("5529951") or ("5643801") or ("5681759") or ("5696011") or ("5773327") or ("5817548") or ("5843833") or ("5891764") or ("5943593") or ("5985741") or ("5994172") or ("6008101") or ("6048757") or ("6051483") or ("6054739") or ("6104547") or ("6174757") or ("6204099") or ("6232621") or ("6265745") or ("6274885") or ("6323069") or ("6323071") or ("6331717") or ("6335541") or ("6410374") or ("6413842") or ("6423585") or ("6437366") or ("6479331") or ("6494162") or ("6500703") or ("6544825") or ("6548370") or ("6569716") or ("6569724") or ("6576534") or ("6594446") or ("6596613") or ("6602765") or ("6607947") or ("6613619") or ("6638800") or ("6744008") or ("RE36371")).PN.) and ms	USPAT	2004/08/26 13:31
5	5924	(439/799 or 438/530 or 438/772 or 438/686 or 438/486-487 or 438/149-151 or 438/308 or 438/166 or 438/5 or 438/14 or 219/686 or 219/762 or 219/121.6 or 219/121.85 or 219/121.81 or 156/583.2).ccls.	USPAT	2004/08/26 13:40
6	630	((439/799 or 438/530 or 438/772 or 438/686 or 438/486-487 or 438/149-151 or 438/308 or 438/166 or 438/5 or 438/14 or 219/686 or 219/762 or 219/121.6 or 219/121.85 or 219/121.81 or 156/583.2).ccls.) and (lamp$1 and (puls$3 or flash$3 or laser$1))	USPAT	2004/08/26 14:19
7	0	((("5457299") or ("5529951") or ("5643801") or ("5681759") or ("5696011") or ("5773327") or ("5817548") or ("5843833") or ("5891764") or ("5943593") or ("5985741") or ("5994172") or ("6008101") or ("6048757") or ("6051483") or ("6054739") or ("6104547") or ("6174757") or ("6204099") or ("6232621") or ("6265745") or ("6274885") or ("6323069") or ("6323071") or ("6331717") or ("6335541") or ("6410374") or ("6413842") or ("6423585") or ("6437366") or ("6479331") or ("6494162") or ("6500703") or ("6544825") or ("6548370") or ("6569716") or ("6569724") or ("6576534") or ("6594446") or ("6596613") or ("6602765") or ("6607947") or ("6613619") or ("6638800") or ("6744008") or ("RE36371")).PN.) and ((("100" or "200" or "300" or "400") near8 (millisecond$1)) near8 (puls$3 or flash$3 or laser$1))	USPAT	2004/08/26 13:43
8	7	(((439/799 or 438/530 or 438/772 or 438/686 or 438/486-487 or 438/149-151 or 438/308 or 438/166 or 438/5 or 438/14 or 219/686 or 219/762 or 219/121.6 or 219/121.85 or 219/121.81 or 156/583.2).ccls.) and (lamp$1 and (puls$3 or flash$3 or laser$1))) and ((("100" or "200" or "300" or "400") near8 (millisecond$1)) near8 (puls$3 or flash$3 or laser$1))	USPAT	2004/08/26 13:56

9	5	(((439/799 or 438/530 or 438/772 or 438/686 or 438/486-487 or 438/149-151 or 438/308 or 438/166 or 438/5 or 438/14 or 219/686 or 219/762 or 219/121.6 or 219/121.85 or 219/121.81 or 156/583.2).ccls.) and (lamp$1 and (puls$3 or flash$3 or laser$1))) and (wavelength$1 near8 ((0.2 or 0.3 or 0.4 or 0.5 or 0.6 or 0.7 or 0.8 or 0.9) near8 (micron$1 or micrometer$1)))	USPAT	2004/08/26 14:06
10	22	(((439/799 or 438/530 or 438/772 or 438/686 or 438/486-487 or 438/149-151 or 438/308 or 438/166 or 438/5 or 438/14 or 219/686 or 219/762 or 219/121.6 or 219/121.85 or 219/121.81 or 156/583.2).ccls.) and (lamp$1 and (puls$3 or flash$3 or laser$1))) and (depth near8 (micron$1 or micrometer$1))	USPAT	2004/08/26 14:09
11	58	(((439/799 or 438/530 or 438/772 or 438/686 or 438/486-487 or 438/149-151 or 438/308 or 438/166 or 438/5 or 438/14 or 219/686 or 219/762 or 219/121.6 or 219/121.85 or 219/121.81 or 156/583.2).ccls.) and (lamp$1 and (puls$3 or flash$3 or laser$1))) and ((puls$3 or flash$3 or laser$1) near8 ((tungsten near8 halogen) or xenon))	USPAT	2004/08/26 14:29
12	3	(((439/799 or 438/530 or 438/772 or 438/686 or 438/486-487 or 438/149-151 or 438/308 or 438/166 or 438/5 or 438/14 or 219/686 or 219/762 or 219/121.6 or 219/121.85 or 219/121.81 or 156/583.2).ccls.) and (lamp$1 and (puls$3 or flash$3 or laser$1))) and ((filter$3 near8 absorb$3) near8 wavelength$1)	USPAT	2004/08/26 14:35
13	3	(("6156030") or ("6645838") or ("5611946")).PN.	USPAT	2004/08/26 14:36
-	0	JP-02294027-$.did.	USPAT	2004/08/26 10:29
-	2	JP-02294027-$.did.	JPO; DERWENT	2002/08/15 16:12
-	2	(("5561735") or ("6303411")).PN.	USPAT	2002/08/16 11:18
-	2370	(219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)	USPAT	2003/09/05 13:10
-	1	((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and (ramp$3 near8 ("250" or "400"))	USPAT	2002/08/16 11:24
-	778	(ramp$3 near8 ("250" or "400"))	USPAT	2002/08/16 11:24
-	135	((ramp$3 near8 ("250" or "400"))) and (substrate$1 or wafer$1)	USPAT	2002/08/16 11:53

-	148	((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((pre near5 heat$3) and heat$3)	USPAT	2003/09/26 09:40
-	1	(((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((pre near5 heat$3) and heat$3)) and (((pre near5 heat$) near8 specified) near8 temperature)	USPAT	2002/08/16 13:08
-	1	(((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((pre near5 heat$3) and heat$3)) and (((pre near5 heat$) near8 specified) near8 temperature)	USPAT	2002/08/16 13:09
-	1	(((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((pre near5 heat$3) and heat$3)) and (((pre near5 heat$3) near8 specified) near8 temperature)	USPAT	2002/08/16 13:11
-	13	(((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((pre near5 heat$3) and heat$3)) and (((pre near5 heat$3) near8 predetermined) near8 temperature)	USPAT	2002/08/16 13:24
-	121	((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((flash or arc) near8 lamp$1)	USPAT	2003/09/05 13:16
-	4	(("5219786") or ("6303411") or ("4151008") or ("5561735")).PN.	USPAT	2002/08/19 16:08
-	2544	((219/121.85 or 219/121.81 or 438/5 or 438/14 or 438/486 or 438/487 or 438/149 or 438/166).ccls. and (substrate$1 or wafer$1)).CCLS.	USPAT	2002/08/22 14:53
-	0	("2 and ((pre near8 heat$3) and heat$3)").PN.	USPAT	2002/08/22 14:53
-	795	((((219/121.85 or 219/121.81 or 438/5 or 438/14 or 438/486 or 438/487 or 438/149 or 438/166).ccls. and (substrate$1 or wafer$1)).CCLS.) and ((pre near8 heat$3) and heat$3)) ((arc and flash) near8 lamp$1)	USPAT	2002/08/22 14:55
-	0	((((219/121.85 or 219/121.81 or 438/5 or 438/14 or 438/486 or 438/487 or 438/149 or 438/166).ccls. and (substrate$1 or wafer$1)).CCLS.) and ((pre near8 heat$3) and heat$3)) and ((arc and flash) near8 lamp$1)	USPAT	2004/08/26 13:36

-	60	(((219/121.85 or 219/121.81 or 438/5 or 438/14 or 438/486 or 438/487 or 438/149 or 438/166).ccls. and (substrate$1 or wafer$1)).CCLS.) and ((pre near8 heat$3) and heat$3)	USPAT	2002/08/22 15:18
-	115	(((219/121.85 or 219/121.81 or 438/5 or 438/14 or 438/486 or 438/487 or 438/149 or 438/166).ccls. and (substrate$1 or wafer$1)).CCLS.) and (arc or flash) near8 lamp$1	USPAT	2002/08/22 15:15
-	3	((((219/121.85 or 219/121.81 or 438/5 or 438/14 or 438/486 or 438/487 or 438/149 or 438/166).ccls. and (substrate$1 or wafer$1)).CCLS.) and (arc or flash) near8 lamp$1) and ((arc and flash) near8 lamp$1)	USPAT	2002/08/22 15:15
-	706	(438/308 or 438/928 or 438/795).ccls. and (substrate$1 or wafer$1)	USPAT	2003/09/05 15:27
-	21	((438/308 or 438/928 or 438/795).ccls. and (substrate$1 or wafer$1)) and ((pre near8 heat$3) and heat$3)	USPAT	2002/08/22 15:19
-	2580	(219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)	USPAT	2003/09/05 13:10
-	10	((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and laser$1	USPAT	2003/09/05 13:10
-	135	((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((flash or arc) near8 lamp$1)	USPAT	2003/09/05 13:17
-	54	(((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((flash or arc) near8 lamp$1)) and (filament$1 near8 lamp$1)	USPAT	2003/09/05 14:01
-	2	(("5219786") or ("4151008")).PN.	USPAT	2003/09/05 14:02
-	1	("6533991").PN.	USPAT	2003/09/05 15:27
-	2	(("2734738") or ("4285504")).PN.	USPAT	2003/09/06 16:12
-	2587	(219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)	USPAT	2003/09/26 10:00
-	159	((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and pulse	USPAT	2003/09/26 09:49

-	162	((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((arc or xenon or flash) near8 lamp$1)	USPAT	2003/09/26 09:50
-	125	(((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((arc or xenon or flash) near8 lamp$1)) not (((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and pulse)	USPAT	2003/09/26 09:51
-	4	(("5219786") or ("6303411") or ("4151008") or ("5561735")).PN.	USPAT	2003/09/26 10:20
-	0	("1and((control$4near8depth)near8junction$1)").PN.	USPAT	2003/09/26 10:20
-	11	((219/390 or 219/405 or 219/411 or 219/388 or 392/416 or 392/418 or 392/423 or 392/424 or 118/724 or 118/725 or 118/50.1).ccls. and (substrate$1 or wafer$1)) and ((control$4 near8 depth$1) near8 junction$1)	USPAT	2003/09/26 13:34
-	2370	(method near8 ((wafer$1 or substrate$1) near8 support$1))	USPAT	2003/09/26 13:35
-	56	((method near8 ((wafer$1 or substrate$1) near8 support$1))) and (method near8 ((wafer$1 or substrate$1) near8 support$1)).ti.	USPAT	2003/09/26 13:48
-	0	((method near8 ((wafer$1 or substrate$1) near8 support$1))) and (method near8 ((making) near8 ((hot or heat$3) near8 plate$1))).ti.	USPAT	2003/09/26 13:49
-	0	((method near8 ((wafer$1 or substrate$1) near8 support$1))) and ((method near8 (making)) near8 ((hot or heat$3) near8 plate$1)).ti.	USPAT	2003/09/26 13:50
-	3	((method near8 ((wafer$1 or substrate$1) near8 support$1))) and ((method near8 (making)) near8 ((hot or heat$3) near8 plate$1))	USPAT	2003/09/26 13:53
-	47	((method near8 ((wafer$1 or substrate$1) near8 support$1))) and ((method) near8 ((hot or heat$3) near8 plate$1))	USPAT	2003/09/27 14:42
-	5	(("4559631") or ("4259538") or ("6021155") or ("6023487") or ("6111908")).PN.	USPAT	2003/09/27 14:42
-	1	("5219786").PN.	USPAT	2004/08/26 10:33
-	2	(("5959896") or ("5814365")).PN.	USPAT	2004/08/26 10:34
-	2	(("5951896") or ("5814365")).PN.	USPAT	2004/08/26 13:25